Delivery Note

Delivery Purpose : To customer(HW delivery) MR No.: MCSLZ2112366489 Bill No.:

Delivery Address:	Novi Sad;Petrovaradin;21132;CRSC MagacinCrossing tim Pobeda 221132 Petrovaradin;CRSC INTERNATIONAL CO, LTD. OGRANAK BEOGRAD	Receiver:	Zhang
Customer:	CRSC INTERNATIONAL CO, LTD. OGRANAK BEOGRAD	Tel:	00381 668879202
Customer PO:	DPPR-SRB-202209-001/HW	RAD:	2022-11-26 00:00:00
RSD:	2022-11-25 23:59:59	Site:	Non HW Delivery-DU
Pickup Person:		Remark:	

Material Information

BoxName	Item	Qty	Unit	Weight(KG)	Volume(CBM)	Item Description
6881120P660	02238348	20	PCS	10.2	0.0715	3900 Series DBS,Site Auxiliary Material Kit(G/UL)
6881120P661	02238349	2	PCS	1.74	0.0084	3900 Series DBS,Site Auxiliary Material Kit(G/UL)
6881120S993	03050FPY-001	1	PCS	11.89	0.0757	Finished Board Unit,NE40E,CR57LPUF240MS04,Flexible Card Line Processing Unit(LPUF-240-E)
6881120S994	03034LLL	1	PCS	1.6	0.0109	10-Port 10GBase LAN/WAN-SFP+ Flexible Card E(P240-E)
6881120T473	02310QSB	1	PCS	5.9	0.0277	Subrack-6 cores-1U*482mm*285mm-huawei grey-Steel sheet-19" (21")installation-FIU2201-1U-E2000-6
6881J202DAE	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6881J202DAE	03026VQG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6881J202DAE	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6881J202DAE	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6881J202DAE	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/S*STM-4/S*STM-1-optical interface board
6881J202DAE	03050EQR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6881J202DAE	03050EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6881J202DAF	02232YQL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6881J202DAF	04120638-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 86F-II,120CC32P0.4P430U(S),-45deg"
6881J202DAF	14080082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25050014
6881J202DAF	14080097	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25050057
6881J202DAF	14130625	29	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J202DAF	14130664	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6881J202DAF	25050014	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 6a UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202DAF	25050014	51	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 6a UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202DAF	25050057	78	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202DAF	25050057	3	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202DAF	34060276	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J202DAF	34060280	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J202DAF	34100144	9	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transimission Distance 100m,-40~85"
6881J202E29	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6881J202E29	03026VQG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6881J202E29	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6881J202E29	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6881J202E29	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/S*STM-4/S*STM-1-optical interface board
6881J202E29	03050EQR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6881J202E29	03050EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6881J202E2A	02232YQL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6881J202E2A	04120638-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 86F-II,120CC32P0.4P430U(S),-45deg"
6881J202E2A	14080082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25050014
6881J202E2A	14080097	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25050057
6881J202E2A	14130625	29	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J202E2A	14130664	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6881J202E2A	25050014	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 6a UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E2A	25050014	51	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 6a UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E2A	25050057	40	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E2A	25050057	40	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E2A	34060276	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J202E2A	34060280	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J202E2A	34100144	9	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transimission Distance 100m,-40~85"
6881J202E2B	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6881J202E2B	03026VQG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6881J202E2B	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6881J202E2B	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6881J202E2B	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/S*STM-4/S*STM-1-optical interface board
6881J202E2B	03050EQR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6881J202E2B	03050EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6881J202E2C	02232YQL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis

6881J202E2C	04120638-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(S),-45deg"
6881J202E2C	14080082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25060014
6881J202E2C	14080097	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-28AWG,Leads Single Solide Cable,For OEM Matching 25060057
6881J202E2C	14130625	28	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J202E2C	14130664	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6881J202E2C	25060014	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E2C	25060014	51	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E2C	25060057	78	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E2C	25060057	2	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E2C	34060278	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J202E2C	34060280	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J202E2C	34100144	8	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6881J202E2D	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6808,DC,with fiber storage)
6881J202E2D	03026VQG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6881J202E2D	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6881J202E2D	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6881J202E2D	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J202E2D	03050EQR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6881J202E2D	03050EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6881J202E2E	02232YQL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6881J202E2E	04120638-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(S),-45deg"
6881J202E2E	14080082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25060014
6881J202E2E	14080097	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-28AWG,Leads Single Solide Cable,For OEM Matching 25060057
6881J202E2E	14130625	28	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J202E2E	14130664	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6881J202E2E	25060014	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E2E	25060014	51	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E2E	25060057	40	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E2E	25060057	40	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E2E	34060278	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J202E2E	34060280	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J202E2E	34100144	8	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6881J202E2F	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6808,DC,with fiber storage)
6881J202E2F	03026VQG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6881J202E2F	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6881J202E2F	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6881J202E2F	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J202E2F	03050EQR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6881J202E2F	03050EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6881J202E30	02232YQL	1	PCS	19	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6881J202E30	04120638-001	2	PCS	19	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(S),-45deg"
6881J202E30	14080082	30	PCS	19	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25060014
6881J202E30	14080097	30	PCS	19	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-28AWG,Leads Single Solide Cable,For OEM Matching 25060057
6881J202E30	14130625	28	PCS	19	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J202E30	14130664	20	PCS	19	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6881J202E30	25060014	51	M	19	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E30	25060014	29	M	19	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E30	25060057	40	M	19	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E30	25060057	40	M	19	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E30	34060278	12	PCS	19	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J202E30	34060280	2	PCS	19	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J202E30	34100144	8	PCS	19	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6881J202E31	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6808,DC,with fiber storage)
6881J202E31	03026VQG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6881J202E31	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6881J202E31	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6881J202E31	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J202E31	03050EQR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6881J202E31	03050EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6881J202E32	02232YQL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6881J202E32	04120638-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(S),-45deg"
6881J202E32	14080082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25060014

6891J202E32	14080097	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25060057
6891J202E32	14130626	28	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6891J202E32	14130664	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6891J202E32	25060014	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6891J202E32	25060014	61	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6891J202E32	25060057	78	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6891J202E32	25060057	2	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6891J202E32	34060276	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6891J202E32	34060280	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6891J202E32	34100144	8	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6891J202E33	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6808,DC,with fiber storage)
6891J202E33	03026VQG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6891J202E33	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6891J202E33	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6891J202E33	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6891J202E33	03050EGR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6891J202E33	03050EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6891J202E34	02232YGL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6891J202E34	04120639-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(S),-45deg"
6891J202E34	14080082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25060014
6891J202E34	14080097	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25060057
6891J202E34	14130626	28	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6891J202E34	14130664	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6891J202E34	25060014	80	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6891J202E34	25060057	78	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6891J202E34	25060057	2	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6891J202E34	34060276	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6891J202E34	34060280	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6891J202E34	34100144	8	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6891J202E35	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6808,DC,with fiber storage)
6891J202E35	03026VQG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6891J202E35	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6891J202E35	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6891J202E35	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6891J202E35	03050EGR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6891J202E35	03050EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6891J202E36	02232YGL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6891J202E36	04120639-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(S),-45deg"
6891J202E36	14080082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25060014
6891J202E36	14080097	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25060057
6891J202E36	14130626	28	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6891J202E36	14130664	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6891J202E36	25060014	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6891J202E36	25060014	61	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6891J202E36	25060057	80	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6891J202E36	34060276	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6891J202E36	34060280	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6891J202E36	34100144	8	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6891J202E37	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6808,DC,with fiber storage)
6891J202E37	03026VQG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6891J202E37	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6891J202E37	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6891J202E37	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6891J202E37	03050EGR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6891J202E37	03050EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6891J202E38	02232YGL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6891J202E38	04120639-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(S),-45deg"
6891J202E38	14080082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25060014
6891J202E38	14080097	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25060057
6891J202E38	14130626	28	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6891J202E38	14130664	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6891J202E38	25060014	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082

6881J202E38	25050014	51	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E38	25050057	40	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E38	25050057	40	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E38	34060276	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J202E38	34060280	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J202E38	34100144	8	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transimission Distance 100m,-40~85"
6881J202E39	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6881J202E39	03026VGG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6881J202E39	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6881J202E39	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6881J202E39	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J202E39	03050EGR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6881J202E39	03050EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6881J202E3A	02232YGL	1	PCS	18	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6881J202E3A	04120638-001	2	PCS	18	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 86F-II,120CC32P0.4P430U(S),-45deg"
6881J202E3A	14080082	30	PCS	18	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25050014
6881J202E3A	14080097	30	PCS	18	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25050057
6881J202E3A	14130625	28	PCS	18	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J202E3A	14130664	20	PCS	18	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6881J202E3A	25050014	29	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E3A	25050014	51	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E3A	25050057	40	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E3A	25050057	40	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E3A	34060276	12	PCS	18	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J202E3A	34060280	2	PCS	18	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J202E3A	34100144	8	PCS	18	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transimission Distance 100m,-40~85"
6881J202E3B	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6881J202E3B	03026VGG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6881J202E3B	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6881J202E3B	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6881J202E3B	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J202E3B	03050EGR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6881J202E3B	03050EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6881J202E3C	02232YGL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6881J202E3C	04120638-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 86F-II,120CC32P0.4P430U(S),-45deg"
6881J202E3C	14080082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25050014
6881J202E3C	14080097	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25050057
6881J202E3C	14130625	28	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J202E3C	14130664	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6881J202E3C	25050014	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E3C	25050014	51	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E3C	25050057	78	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E3C	25050057	2	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E3C	34060276	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J202E3C	34060280	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J202E3C	34100144	8	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transimission Distance 100m,-40~85"
6881J202E3D	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6881J202E3D	03026VGG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6881J202E3D	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6881J202E3D	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6881J202E3D	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J202E3D	03050EGR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6881J202E3D	03050EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6881J202E3E	02232YGL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6881J202E3E	04120638-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 86F-II,120CC32P0.4P430U(S),-45deg"
6881J202E3E	14080082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25050014
6881J202E3E	14080097	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25050057
6881J202E3E	14130625	28	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J202E3E	14130664	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6881J202E3E	25050014	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E3E	25050014	51	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E3E	25050057	40	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097

6881J202E3E	25050057	40	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E3E	34060276	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J202E3E	34060290	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J202E3E	34100144	8	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6881J202E3F	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6881J202E3F	03025VGG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6881J202E3F	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6881J202E3F	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6881J202E3F	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J202E3F	03060EQR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6881J202E3F	03060EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6881J202E40	02232YGL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6881J202E40	04120638-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Anea 96F-II,120CC32P0.4P430U(S),-45deg"
6881J202E40	14060082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25060014
6881J202E40	14080097	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solids Cable,For OEM Matching 25060057
6881J202E40	14130625	28	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,3mm,LSZH
6881J202E40	14130664	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,3mm,LSZH
6881J202E40	25060014	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E40	25060014	51	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E40	25060057	79	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E40	25060057	2	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E40	34060276	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J202E40	34060290	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J202E40	34100144	8	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6881J202E41	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6881J202E41	03025VGG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6881J202E41	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6881J202E41	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6881J202E41	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J202E41	03060EQR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6881J202E41	03060EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6881J202E42	02232YGL	1	PCS	18	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6881J202E42	04120638-001	2	PCS	18	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Anea 96F-II,120CC32P0.4P430U(S),-45deg"
6881J202E42	14060082	30	PCS	18	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25060014
6881J202E42	14080097	30	PCS	18	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solids Cable,For OEM Matching 25060057
6881J202E42	14130625	28	PCS	18	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,3mm,LSZH
6881J202E42	14130664	20	PCS	18	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,3mm,LSZH
6881J202E42	25060014	29	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E42	25060014	51	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E42	25060057	80	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E42	34060276	12	PCS	18	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J202E42	34060290	2	PCS	18	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J202E42	34100144	8	PCS	18	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6881J202E43	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6881J202E43	03025VGG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6881J202E43	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6881J202E43	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6881J202E43	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J202E43	03060EQR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6881J202E43	03060EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6881J202E44	02232YGL	1	PCS	18	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6881J202E44	04120638-001	2	PCS	18	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Anea 96F-II,120CC32P0.4P430U(S),-45deg"
6881J202E44	14060082	30	PCS	18	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25060014
6881J202E44	14080097	30	PCS	18	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solids Cable,For OEM Matching 25060057
6881J202E44	14130625	28	PCS	18	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J202E44	14130664	20	PCS	18	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6881J202E44	25060014	29	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E44	25060014	51	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E44	25060057	40	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E44	25060057	40	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E44	34060276	12	PCS	18	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J202E44	34060290	2	PCS	18	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"

6881J202E44	34100144	8	PCS	18	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transimission Distance 100m,-40~85"
6881J202E45	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6881J202E45	03026VGG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6881J202E45	03034EHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6881J202E45	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DM5+2*PD1)
6881J202E45	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J202E45	03050EQR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6881J202E45	03050EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6881J202E46	02232YGL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6881J202E46	04120638-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(5),-45deg"
6881J202E46	14080082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25060014
6881J202E46	14080097	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solids Cable,For OEM Matching 25050057
6881J202E46	14130625	28	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J202E46	14130684	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6881J202E46	25060014	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E46	25060014	61	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E46	25060057	78	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E46	25060057	2	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E46	34060276	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J202E46	34060280	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J202E46	34100144	8	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transimission Distance 100m,-40~85"
6881J202E47	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6881J202E47	03026VGG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6881J202E47	03034EHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6881J202E47	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DM5+2*PD1)
6881J202E47	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J202E47	03050EQR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6881J202E47	03050EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6881J202E48	02232YGL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6881J202E48	04120638-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(5),-45deg"
6881J202E48	14080082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25060014
6881J202E48	14080097	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solids Cable,For OEM Matching 25050057
6881J202E48	14130625	28	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J202E48	14130684	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6881J202E48	25060014	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E48	25060014	61	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E48	25060057	78	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E48	25060057	2	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E48	34060276	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J202E48	34060280	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J202E48	34100144	8	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transimission Distance 100m,-40~85"
6881J202E49	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6881J202E49	03026VGG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6881J202E49	03034EHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6881J202E49	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DM5+2*PD1)
6881J202E49	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J202E49	03050EQR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6881J202E49	03050EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6881J202E4A	02232YGL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6881J202E4A	04120638-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(5),-45deg"
6881J202E4A	14080082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25060014
6881J202E4A	14080097	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solids Cable,For OEM Matching 25050057
6881J202E4A	14130625	28	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J202E4A	14130684	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6881J202E4A	25060014	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E4A	25060014	61	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E4A	25060057	78	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E4A	25060057	2	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E4A	34060276	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J202E4A	34060280	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J202E4A	34100144	8	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transimission Distance 100m,-40~85"
6881J202E4B	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)

6891J202E4B	03026VGG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6891J202E4B	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6891J202E4B	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6891J202E4B	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6891J202E4B	03050EGR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6891J202E4B	03050EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6891J202E4C	02232YGL	1	PCS	18	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6891J202E4C	04120638-001	2	PCS	18	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(S),-45deg"
6891J202E4C	14080082	30	PCS	18	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25050014
6891J202E4C	14080097	30	PCS	18	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-28AWG,Leads Single Solide Cable,For OEM Matching 25050057
6891J202E4C	14130525	28	PCS	18	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6891J202E4C	14130564	20	PCS	18	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6891J202E4C	25050014	29	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6891J202E4C	25050014	51	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6891J202E4C	25050057	40	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6891J202E4C	25050057	40	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6891J202E4C	34060278	12	PCS	18	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6891J202E4C	34060280	2	PCS	18	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6891J202E4C	34100144	8	PCS	18	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6891J202E4D	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E9608,DC,with fiber storage)
6891J202E4D	03026VGG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6891J202E4D	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6891J202E4D	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6891J202E4D	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6891J202E4D	03050EGR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6891J202E4D	03050EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6891J202E4E	02232YGL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6891J202E4E	04120638-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(S),-45deg"
6891J202E4E	14080082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25050014
6891J202E4E	14080097	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-28AWG,Leads Single Solide Cable,For OEM Matching 25050057
6891J202E4E	14130525	28	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6891J202E4E	14130564	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6891J202E4E	25050014	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6891J202E4E	25050014	51	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6891J202E4E	25050057	78	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6891J202E4E	25050057	2	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6891J202E4E	34060278	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6891J202E4E	34060280	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6891J202E4E	34100144	8	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6891J202E4F	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E9608,DC,with fiber storage)
6891J202E4F	03026VGG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6891J202E4F	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6891J202E4F	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6891J202E4F	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6891J202E4F	03050EGR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6891J202E4F	03050EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6891J202E50	02232YGL	1	PCS	18	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6891J202E50	04120638-001	2	PCS	18	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(S),-45deg"
6891J202E50	14080082	30	PCS	18	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25050014
6891J202E50	14080097	30	PCS	18	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-28AWG,Leads Single Solide Cable,For OEM Matching 25050057
6891J202E50	14130525	28	PCS	18	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6891J202E50	14130564	20	PCS	18	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6891J202E50	25050014	29	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6891J202E50	25050014	51	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6891J202E50	25050057	40	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6891J202E50	25050057	40	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6891J202E50	34060278	12	PCS	18	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6891J202E50	34060280	2	PCS	18	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6891J202E50	34100144	8	PCS	18	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6891J202E51	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E9608,DC,with fiber storage)
6891J202E51	03026VGG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6891J202E51	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board

6891J202E51	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DM8+2*PD1)
6891J202E51	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6891J202E51	03060EGR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6891J202E51	03060EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6891J202E52	02232YGL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6891J202E52	04120638-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(S),-45deg"
6891J202E52	14080082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25050014
6891J202E52	14080097	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25050057
6891J202E52	14130525	28	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6891J202E52	14130664	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6891J202E52	25050014	80	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6891J202E52	25050057	78	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6891J202E52	25050057	2	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6891J202E52	34060276	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6891J202E52	34060280	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6891J202E52	34100144	8	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6891J202E53	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6891J202E53	03028VGG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6891J202E53	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6891J202E53	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DM8+2*PD1)
6891J202E53	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6891J202E53	03060EGR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6891J202E53	03060EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6891J202E54	02232YGL	1	PCS	18	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6891J202E54	04120638-001	2	PCS	18	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(S),-45deg"
6891J202E54	14080082	30	PCS	18	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25050014
6891J202E54	14080097	30	PCS	18	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25050057
6891J202E54	14130525	28	PCS	18	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6891J202E54	14130664	20	PCS	18	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6891J202E54	25050014	29	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6891J202E54	25050014	51	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6891J202E54	25050057	78	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6891J202E54	25050057	2	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6891J202E54	34060276	12	PCS	18	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6891J202E54	34060280	2	PCS	18	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6891J202E54	34100144	8	PCS	18	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6891J202E55	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6891J202E55	03028VGG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6891J202E55	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6891J202E55	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DM8+2*PD1)
6891J202E55	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6891J202E55	03060EGR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6891J202E55	03060EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6891J202E56	02232YGL	1	PCS	18	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6891J202E56	04120638-001	2	PCS	18	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(S),-45deg"
6891J202E56	14080082	30	PCS	18	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25050014
6891J202E56	14080097	30	PCS	18	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25050057
6891J202E56	14130525	28	PCS	18	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6891J202E56	14130664	20	PCS	18	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6891J202E56	25050014	29	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6891J202E56	25050014	51	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6891J202E56	25050057	78	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6891J202E56	25050057	2	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6891J202E56	34060276	12	PCS	18	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6891J202E56	34060280	2	PCS	18	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6891J202E56	34100144	8	PCS	18	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6891J202E57	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6891J202E57	03028VGG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6891J202E57	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6891J202E57	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DM8+2*PD1)
6891J202E57	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6891J202E57	03060EGR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch

6881J202E57	03060EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6881J202E59	02232YGL	1	PCS	19	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6881J202E59	04120639-001	2	PCS	19	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(S),-45deg"
6881J202E59	14080082	30	PCS	19	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25060014
6881J202E59	14080097	30	PCS	19	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25060057
6881J202E59	14130625	28	PCS	19	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J202E59	14130664	20	PCS	19	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6881J202E59	25060014	29	M	19	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E59	25060014	51	M	19	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E59	25060057	40	M	19	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E59	25060057	40	M	19	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E59	34060276	12	PCS	19	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J202E59	34060280	2	PCS	19	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J202E59	34100144	8	PCS	19	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6881J202E59	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6881J202E59	03025VQQ	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6881J202E59	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1900,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6881J202E59	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1900,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6881J202E59	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1900,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J202E59	03060EGR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1900,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6881J202E59	03060EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6881J202E5A	02232YGL	1	PCS	19	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6881J202E5A	04120639-001	2	PCS	19	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(S),-45deg"
6881J202E5A	14080082	30	PCS	19	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25060014
6881J202E5A	14080097	30	PCS	19	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25060057
6881J202E5A	14130625	28	PCS	19	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J202E5A	14130664	20	PCS	19	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6881J202E5A	25060014	29	M	19	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E5A	25060014	51	M	19	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E5A	25060057	40	M	19	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E5A	25060057	40	M	19	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E5A	34060276	12	PCS	19	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J202E5A	34060280	2	PCS	19	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J202E5A	34100144	8	PCS	19	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6881J202E5B	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6881J202E5B	03025VQQ	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6881J202E5B	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1900,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6881J202E5B	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1900,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6881J202E5B	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1900,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J202E5B	03060EGR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1900,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6881J202E5B	03060EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6881J202E5C	02232YGL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6881J202E5C	04120639-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(S),-45deg"
6881J202E5C	14080082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25060014
6881J202E5C	14080097	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25060057
6881J202E5C	14130625	28	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J202E5C	14130664	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6881J202E5C	25060014	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E5C	25060014	51	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E5C	25060057	40	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E5C	25060057	40	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E5C	34060276	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J202E5C	34060280	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J202E5C	34100144	8	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6881J202E5D	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6881J202E5D	03025VQQ	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6881J202E5D	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1900,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6881J202E5D	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1900,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6881J202E5D	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1900,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J202E5D	03060EGR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1900,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6881J202E5D	03060EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6881J202E5E	02232YGL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis

6881J02E5E	04120639-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(S),-45deg"
6881J02E5E	14080082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25060014
6881J02E5E	14080097	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25060057
6881J02E5E	14130525	28	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J02E5E	14130664	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6881J02E5E	25060014	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J02E5E	25060014	61	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J02E5E	25060057	40	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J02E5E	25060057	40	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J02E5E	34060278	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J02E5E	34060280	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J02E5E	34100144	8	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6881J02E5F	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6881J02E5F	03026VQG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6881J02E5F	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6881J02E5F	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6881J02E5F	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J02E5F	03060EQR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6881J02E5F	03060EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6881J02E60	02232YQL	1	PCS	18	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6881J02E60	04120639-001	2	PCS	18	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(S),-45deg"
6881J02E60	14080082	30	PCS	18	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25060014
6881J02E60	14080097	30	PCS	18	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25060057
6881J02E60	14130525	28	PCS	18	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J02E60	14130664	20	PCS	18	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6881J02E60	25060014	29	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J02E60	25060014	61	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J02E60	25060057	40	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J02E60	25060057	40	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J02E60	34060278	12	PCS	18	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J02E60	34060280	2	PCS	18	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J02E60	34100144	8	PCS	18	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6881J02E61	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6881J02E61	03026VQG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6881J02E61	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6881J02E61	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6881J02E61	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J02E61	03060EQR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6881J02E61	03060EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6881J02E62	02232YQL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6881J02E62	04120639-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(S),-45deg"
6881J02E62	14080082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25060014
6881J02E62	14080097	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25060057
6881J02E62	14130525	28	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J02E62	14130664	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6881J02E62	25060014	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J02E62	25060014	61	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J02E62	25060057	78	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J02E62	25060057	2	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J02E62	34060278	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J02E62	34060280	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J02E62	34100144	8	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6881J02E63	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6881J02E63	03026VQG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6881J02E63	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6881J02E63	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6881J02E63	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J02E63	03060EQR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6881J02E63	03060EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6881J02E64	02232YQL	1	PCS	18	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6881J02E64	04120639-001	2	PCS	18	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(S),-45deg"
6881J02E64	14080082	30	PCS	18	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25060014

6881J202E64	14080097	30	PCS	18	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25050067
6881J202E64	14130625	29	PCS	18	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J202E64	14130664	20	PCS	18	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6881J202E64	25050014	29	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E64	25050014	51	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E64	25050057	90	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E64	34060276	12	PCS	18	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J202E64	34060280	2	PCS	18	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J202E64	34100144	8	PCS	18	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transimission Distance 100m,-40~85"
6881J202E65	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6808,DC,with fiber storage)
6881J202E65	03028VGG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6881J202E65	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6881J202E65	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6881J202E65	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J202E65	03050EGR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6881J202E65	03060EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6881J202E66	02232YGL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6881J202E66	04120638-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(S),-45deg"
6881J202E66	14080082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25050014
6881J202E66	14080097	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25050067
6881J202E66	14130625	29	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J202E66	14130664	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6881J202E66	25050014	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E66	25050014	51	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E66	25050057	78	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E66	25050057	2	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E66	34060276	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J202E66	34060280	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J202E66	34100144	8	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transimission Distance 100m,-40~85"
6881J202E67	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6808,DC,with fiber storage)
6881J202E67	03028VGG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6881J202E67	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6881J202E67	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6881J202E67	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J202E67	03050EGR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6881J202E67	03060EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6881J202E68	02232YGL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6881J202E68	04120638-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(S),-45deg"
6881J202E68	14080082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25050014
6881J202E68	14080097	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25050067
6881J202E68	14130625	29	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J202E68	14130664	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6881J202E68	25050014	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E68	25050014	51	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E68	25050057	40	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E68	25050057	40	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E69	34060276	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J202E69	34060280	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J202E69	34100144	8	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transimission Distance 100m,-40~85"
6881J202E69	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6808,DC,with fiber storage)
6881J202E69	03028VGG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6881J202E69	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6881J202E69	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6881J202E69	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J202E69	03050EGR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6881J202E69	03060EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6881J202E6A	02232YGL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6881J202E6A	04120638-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(S),-45deg"
6881J202E6A	14080082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25050014
6881J202E6A	14080097	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25050067
6881J202E6A	14130625	29	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J202E6A	14130664	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH

6881J202E6A	25050014	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E6A	25050014	51	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E6A	25050057	2	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E6A	25050057	78	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E6A	34060276	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J202E6A	34060280	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J202E6A	34100144	8	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6881J202E6B	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6881J202E6B	03026VGG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6881J202E6B	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1900,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6881J202E6B	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1900,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6881J202E6B	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1900,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J202E6B	03060EGR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1900,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6881J202E6B	03060EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6881J202E6C	02232YGL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6881J202E6C	04120639-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(S),-45deg"
6881J202E6C	14080082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25050014
6881J202E6C	14080097	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25050057
6881J202E6C	14130525	29	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J202E6C	14130564	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6881J202E6C	25050014	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E6C	25050014	51	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E6C	25050057	40	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E6C	25050057	40	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E6C	34060276	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J202E6C	34060280	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J202E6C	34100144	8	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6881J202E6D	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6881J202E6D	03026VGG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6881J202E6D	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1900,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6881J202E6D	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1900,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6881J202E6D	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1900,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J202E6D	03060EGR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1900,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6881J202E6D	03060EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6881J202E6E	02232YGL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6881J202E6E	04120639-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(S),-45deg"
6881J202E6E	14080082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25050014
6881J202E6E	14080097	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25050057
6881J202E6E	14130525	29	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J202E6E	14130564	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6881J202E6E	25050014	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E6E	25050014	51	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E6E	25050057	78	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E6E	25050057	2	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E6E	34060276	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J202E6E	34060280	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J202E6E	34100144	8	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6881J202E6F	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6881J202E6F	03026VGG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6881J202E6F	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1900,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6881J202E6F	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1900,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6881J202E6F	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1900,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J202E6F	03060EGR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1900,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6881J202E6F	03060EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6881J202E70	02232YGL	1	PCS	18	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6881J202E70	04120639-001	2	PCS	18	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(S),-45deg"
6881J202E70	14080082	30	PCS	18	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25050014
6881J202E70	14080097	30	PCS	18	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25050057
6881J202E70	14130525	29	PCS	18	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J202E70	14130564	20	PCS	18	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6881J202E70	25050014	29	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E70	25050014	51	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082

6891J202E70	25050057	40	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6891J202E70	25050057	40	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6891J202E70	34060278	12	PCS	18	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6891J202E70	34060280	2	PCS	18	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6891J202E70	34100144	8	PCS	18	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transimission Distance 100m,-40~85"
6891J202E71	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6808,DC,with fiber storage)
6891J202E71	03026VGG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6891J202E71	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6891J202E71	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6891J202E71	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6891J202E71	03050EGR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6891J202E71	03050EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6891J202E72	02232YGL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6891J202E72	04120639-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 86F-II,120CC32P0.4P430U(S),-45deg"
6891J202E72	14080082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25050014
6891J202E72	14080097	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-28AWG,Leads Single Solide Cable,For OEM Matching 25050057
6891J202E72	14130625	28	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6891J202E72	14130664	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6891J202E72	25050014	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6891J202E72	25050014	51	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6891J202E72	25050057	78	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6891J202E72	25050057	2	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6891J202E72	34060278	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6891J202E72	34060280	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6891J202E72	34100144	8	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transimission Distance 100m,-40~85"
6891J202E73	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6808,DC,with fiber storage)
6891J202E73	03026VGG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6891J202E73	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6891J202E73	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6891J202E73	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6891J202E73	03050EGR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6891J202E73	03050EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6891J202E74	02232YGL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6891J202E74	04120639-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 86F-II,120CC32P0.4P430U(S),-45deg"
6891J202E74	14080082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25050014
6891J202E74	14080097	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-28AWG,Leads Single Solide Cable,For OEM Matching 25050057
6891J202E74	14130625	28	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6891J202E74	14130664	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6891J202E74	25050014	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6891J202E74	25050014	20	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6891J202E74	25050014	31	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6891J202E74	25050057	78	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6891J202E74	25050057	2	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6891J202E74	34060278	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6891J202E74	34060280	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6891J202E74	34100144	8	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transimission Distance 100m,-40~85"
6891J202E75	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6808,DC,with fiber storage)
6891J202E75	03026VGG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6891J202E75	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6891J202E75	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6891J202E75	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6891J202E75	03050EGR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6891J202E75	03050EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6891J202E76	02232YGL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6891J202E76	04120639-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 86F-II,120CC32P0.4P430U(S),-45deg"
6891J202E76	14080082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25050014
6891J202E76	14080097	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-28AWG,Leads Single Solide Cable,For OEM Matching 25050057
6891J202E76	14130625	28	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6891J202E76	14130664	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6891J202E76	25050014	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6891J202E76	25050014	51	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6891J202E76	25050057	78	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097

6891J202E76	25050057	2	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6891J202E76	34060278	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6891J202E76	34060280	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6891J202E76	34100144	8	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6891J202E77	02301891	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6808,DC,with fiber storage)
6891J202E77	03026VQG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6891J202E77	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6891J202E77	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6891J202E77	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6891J202E77	03050EQR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6891J202E77	03060EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6891J202E78	02232YGL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6891J202E78	04120638-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(5),-45deg"
6891J202E78	14080082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25050014
6891J202E78	14080097	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25050057
6891J202E78	14130526	28	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6891J202E78	14130564	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6891J202E78	25050014	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6891J202E78	25050014	51	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6891J202E78	25050057	78	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6891J202E78	25050057	2	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6891J202E78	34060278	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6891J202E78	34060280	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6891J202E78	34100144	8	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6891J202E79	02301891	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6808,DC,with fiber storage)
6891J202E79	03026VQG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6891J202E79	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6891J202E79	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6891J202E79	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6891J202E79	03050EQR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6891J202E79	03060EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6891J202E7A	02232YGL	1	PCS	18	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6891J202E7A	04120638-001	2	PCS	18	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(5),-45deg"
6891J202E7A	14080082	30	PCS	18	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25050014
6891J202E7A	14080097	30	PCS	18	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25050057
6891J202E7A	14130526	28	PCS	18	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6891J202E7A	14130564	20	PCS	18	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6891J202E7A	25050014	29	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6891J202E7A	25050014	51	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6891J202E7A	25050057	40	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6891J202E7A	25050057	40	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6891J202E7A	34060278	12	PCS	18	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6891J202E7A	34060280	2	PCS	18	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6891J202E7A	34100144	8	PCS	18	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6891J202E7B	02301891	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6808,DC,with fiber storage)
6891J202E7B	03026VQG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6891J202E7B	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6891J202E7B	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6891J202E7B	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6891J202E7B	03050EQR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6891J202E7B	03050EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6891J202E7C	02232YGL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6891J202E7C	04120638-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(5),-45deg"
6891J202E7C	14080082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25050014
6891J202E7C	14080097	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25050057
6891J202E7C	14130526	28	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6891J202E7C	14130564	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6891J202E7C	25050014	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6891J202E7C	25050014	51	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6891J202E7C	25050057	40	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6891J202E7C	25050057	40	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6891J202E7C	34060278	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"

6891J202E7C	34060280	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6891J202E7C	34100144	8	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6891J202E7D	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6891J202E7D	03026VQG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6891J202E7D	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6891J202E7D	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6891J202E7D	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6891J202E7D	03050EGR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6891J202E7D	03050EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6891J202E7E	02232YGL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6891J202E7E	04120638-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(S),-45deg"
6891J202E7E	14080082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25050014
6891J202E7E	14080097	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-28AWG,Leads Single Solide Cable,For OEM Matching 25050057
6891J202E7E	14130525	28	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6891J202E7E	14130664	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6891J202E7E	25050014	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6891J202E7E	25050014	51	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6891J202E7E	25050057	78	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6891J202E7E	25050057	2	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6891J202E7E	34060276	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6891J202E7E	34060280	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6891J202E7E	34100144	8	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6891J202E7F	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6891J202E7F	03026VQG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6891J202E7F	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6891J202E7F	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6891J202E7F	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6891J202E7F	03050EGR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6891J202E7F	03050EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6891J202E80	02232YGL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6891J202E80	04120638-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(S),-45deg"
6891J202E80	14080082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25050014
6891J202E80	14080097	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-28AWG,Leads Single Solide Cable,For OEM Matching 25050057
6891J202E80	14130525	28	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6891J202E80	14130664	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6891J202E80	25050014	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6891J202E80	25050014	51	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6891J202E80	25050057	40	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6891J202E80	25050057	40	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6891J202E80	34060276	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6891J202E80	34060280	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6891J202E80	34100144	8	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6891J202E81	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6891J202E81	03026VQG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6891J202E81	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6891J202E81	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6891J202E81	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6891J202E81	03050EGR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6891J202E81	03050EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6891J202E82	02232YGL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6891J202E82	04120638-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(S),-45deg"
6891J202E82	14080082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25050014
6891J202E82	14080097	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-28AWG,Leads Single Solide Cable,For OEM Matching 25050057
6891J202E82	14130525	28	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6891J202E82	14130664	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6891J202E82	25050014	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6891J202E82	25050014	51	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6891J202E82	25050057	78	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6891J202E82	25050057	2	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6891J202E82	34060276	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6891J202E82	34060280	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6891J202E82	34100144	8	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"

6881J202E83	02301881	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6881J202E83	03026VGG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6881J202E83	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6881J202E83	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6881J202E83	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J202E83	03060EQR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6881J202E83	03060EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6881J202E84	02232YGL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6881J202E84	04120638-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(5),-45deg"
6881J202E84	14080082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25060014
6881J202E84	14080097	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25060057
6881J202E84	14130625	28	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J202E84	14130664	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6881J202E84	25060014	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E84	25060014	51	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E84	25060057	40	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E84	25060057	40	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E84	34060278	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J202E84	34060280	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J202E84	34100144	8	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6881J202E85	02301881	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6881J202E85	03026VGG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6881J202E85	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6881J202E85	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6881J202E85	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J202E85	03060EQR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6881J202E85	03060EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6881J202E86	02232YGL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6881J202E86	04120638-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(5),-45deg"
6881J202E86	14080082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25060014
6881J202E86	14080097	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25060057
6881J202E86	14130625	28	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J202E86	14130664	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6881J202E86	25060014	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E86	25060014	51	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E86	25060057	40	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E86	25060057	40	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E86	34060278	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J202E86	34060280	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J202E86	34100144	8	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6881J202E87	02301881	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6881J202E87	03026VGG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6881J202E87	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6881J202E87	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6881J202E87	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J202E87	03060EQR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6881J202E87	03060EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6881J202E88	02232YGL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6881J202E89	04120638-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(5),-45deg"
6881J202E89	14080082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25060014
6881J202E89	14080097	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25060057
6881J202E88	14130625	28	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J202E88	14130664	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6881J202E89	25060014	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E89	25060014	51	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E88	25060057	78	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E88	25060057	2	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E88	34060278	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J202E86	34060280	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J202E88	34100144	8	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6881J202E89	02301881	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6881J202E89	03026VGG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board

6881J202E89	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6881J202E89	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6881J202E89	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J202E89	03050EGR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6881J202E89	03050EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6881J202E8A	02232YGL	1	PCS	19	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6881J202E8A	04120639-001	2	PCS	19	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Anea 96F-II,120CC32P0.4P430U(S),-45deg"
6881J202E8A	14060082	30	PCS	19	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25060014
6881J202E8A	14060087	30	PCS	19	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25060067
6881J202E8A	14130525	28	PCS	19	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J202E8A	14130564	20	PCS	19	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6881J202E8A	25060014	29	M	19	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14060082
6881J202E8A	25060014	51	M	19	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14060082
6881J202E8A	25060057	40	M	19	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14060087
6881J202E8A	25060057	40	M	19	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14060087
6881J202E8A	34060276	12	PCS	19	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J202E8A	34060280	2	PCS	19	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J202E8A	34100144	8	PCS	19	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6881J202E8B	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6881J202E8B	03026VGG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6881J202E8B	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6881J202E8B	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6881J202E8B	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J202E8B	03050EGR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6881J202E8B	03050EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6881J202E8C	02232YGL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6881J202E8C	04120639-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Anea 96F-II,120CC32P0.4P430U(S),-45deg"
6881J202E8C	14060082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25060014
6881J202E8C	14060087	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25060067
6881J202E8C	14130525	28	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J202E8C	14130564	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6881J202E8C	25060014	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14060082
6881J202E8C	25060014	51	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14060082
6881J202E8C	25060057	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14060087
6881J202E8C	25060057	60	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14060087
6881J202E8C	34060276	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J202E8C	34060280	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J202E8C	34100144	8	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6881J202E8D	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6881J202E8D	03026VGG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6881J202E8D	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6881J202E8D	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6881J202E8D	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J202E8D	03050EGR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6881J202E8D	03050EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6881J202E8E	02232YGL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6881J202E8E	04120639-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Anea 96F-II,120CC32P0.4P430U(S),-45deg"
6881J202E8E	14060082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25060014
6881J202E8E	14060087	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25060067
6881J202E8E	14130525	28	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J202E8E	14130564	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6881J202E8E	25060014	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14060082
6881J202E8E	25060014	51	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14060082
6881J202E8E	25060057	78	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14060087
6881J202E8E	25060057	2	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14060087
6881J202E8E	34060276	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J202E8E	34060280	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J202E8E	34100144	8	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6881J202E8F	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6881J202E8F	03026VGG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6881J202E8F	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6881J202E8F	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)

6881J202E8F	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J202E8F	03060EGR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6881J202E8F	03060EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6881J202E90	02232YGL	1	PCS	18	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6881J202E90	04120638-001	2	PCS	18	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(S),-45deg"
6881J202E90	14080082	30	PCS	18	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25060014
6881J202E90	14080097	30	PCS	18	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25060057
6881J202E90	14130525	28	PCS	18	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J202E90	14130664	20	PCS	18	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6881J202E90	25060014	29	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E90	25060014	51	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E90	25060057	40	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E90	25060057	40	M	18	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E90	34060276	12	PCS	18	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J202E90	34060280	2	PCS	18	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J202E90	34100144	8	PCS	18	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transimission Distance 100m,-40~85"
6881J202E91	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6881J202E91	03026VGG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6881J202E91	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1900,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6881J202E91	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6881J202E91	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J202E91	03060EGR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6881J202E91	03060EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6881J202E92	02232YGL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6881J202E92	04120638-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(S),-45deg"
6881J202E92	14080082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25060014
6881J202E92	14080097	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25060057
6881J202E92	14130525	28	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J202E92	14130664	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6881J202E92	25060014	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E92	25060014	51	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E92	25060057	78	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E92	25060057	2	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E92	34060276	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J202E92	34060280	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J202E92	34100144	8	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transimission Distance 100m,-40~85"
6881J202E93	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6881J202E93	03026VGG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6881J202E93	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1900,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6881J202E93	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6881J202E93	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J202E93	03060EGR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6881J202E93	03060EJD	2	PCS	21	0.1227	Universal Cross Connect,System Control and Clock Processing Board
6881J202E94	02232YGL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6881J202E94	04120638-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 96F-II,120CC32P0.4P430U(S),-45deg"
6881J202E94	14080082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25060014
6881J202E94	14080097	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-26AWG,Leads Single Solide Cable,For OEM Matching 25060057
6881J202E94	14130525	28	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J202E94	14130664	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6881J202E94	25060014	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E94	25060014	51	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E94	25060057	78	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E94	25060057	2	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E94	34060276	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J202E94	34060280	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J202E94	34100144	8	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transimission Distance 100m,-40~85"
6881J202E95	02301691	1	PCS	21	0.1227	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6881J202E95	03026VGG	1	PCS	21	0.1227	10-port Gigabit Ethernet Switching Processing Board
6881J202E95	03034EHU	1	PCS	21	0.1227	Finished Board,OptiX OSN 1900,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6881J202E95	03034FAA	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMB2TPS,32xE1/T1 tributary board(1*DMS+2*PD1)
6881J202E95	03034KHJ	1	PCS	21	0.1227	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/8*STM-4/8*STM-1-optical interface board
6881J202E95	03060EGR	1	PCS	21	0.1227	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch

6881J202E95	03060EJD	2	PCS	21	0.1217	Universal Cross Connect,System Control and Clock Processing Board
6881J202E98	02232YGL	1	PCS	17	0.1899	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6881J202E96	04120638-001	2	PCS	17	0.1899	"Trunk Cable,10m,120ohm,16E1,0.4mm,Area 9SF-II,120CC32P0.4P430U(5),-45deg"
6881J202E96	14080082	30	PCS	17	0.1899	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25060014
6881J202E96	14080097	30	PCS	17	0.1899	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-28AWG,Leads Single Solide Cable,For OEM Matching 25060067
6881J202E96	14130625	28	PCS	17	0.1899	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J202E96	14130664	20	PCS	17	0.1899	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6881J202E96	25060014	29	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E96	25060014	61	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202E96	25060057	78	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E96	25060057	2	M	17	0.1899	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202E96	34060276	12	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J202E96	34060280	2	PCS	17	0.1899	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J202E96	34100144	8	PCS	17	0.1899	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6881J202F6E	02301691	1	PCS	16	0.1218	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6881J202F6F	02301691	1	PCS	16	0.1218	Assembly Chassis(OptiXtrans E6608,DC,with fiber storage)
6881J202F70	02232YGL	2	PCS	40	0.3226	MPE Site Materials Kit, 2U ,Engineering Required Delivery Accessory Per Integrated Chassis
6881J202F70	03026VQG	2	PCS	40	0.3226	10-port Gigabit Ethernet Switching Processing Board
6881J202F70	03034EHU	2	PCS	40	0.3226	Finished Board,OptiX OSN 1800,TMB2EGS401,4*GE(SFP) Ethernet switching Processing Board
6881J202F70	03034KHJ	2	PCS	40	0.3226	Finished Board,OptiX OSN 1800,TMK3SLNO,4*STM-16/*STM-4/*STM-1 optical interface board
6881J202F70	03060EGR	2	PCS	40	0.3226	Finished Board Unit,OptiX OSN 1800,TMB2EFS802,8-Port 100M Fast Ethernet Processing Board with LAN Switch
6881J202F70	03060EJD	2	PCS	40	0.3226	Universal Cross Connect,System Control and Clock Processing Board
6881J202F70	14080082	50	PCS	40	0.3226	Network Interface Connector,8Bit 8Pin,Crystal Plug,Matching 25060014
6881J202F70	14080097	60	PCS	40	0.3226	Network Interface Connector,8-Bit 8PIN,Shielded,Crystal Model Connector,24-28AWG,Leads Single Solide Cable,For OEM Matching 25060067
6881J202F70	14130625	60	PCS	40	0.3226	Patch Cord,LC/UPC,FC/UPC,Single-mode,10m,G.657A2,2mm,LSZH
6881J202F70	14130664	40	PCS	40	0.3226	Patch Cord,LC/UPC,LC/UPC,Single-mode,2m,G.657A2,2mm,LSZH
6881J202F70	25060014	29	M	40	0.3226	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202F70	25060014	90	M	40	0.3226	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202F70	25060014	61	M	40	0.3226	Twisted-Pair Cable,100ohm,Category 5e UTP,0.51mm,24AWG,8Cores,PANTONE 430U,Use with Plug:14080082
6881J202F70	25060057	40	M	40	0.3226	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202F70	25060057	80	M	40	0.3226	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202F70	25060057	80	M	40	0.3226	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202F70	25060057	2	M	40	0.3226	Twisted-Pair Cable,100ohm,Category 5e,FTP,0.52mm,24AWG,8Cores,4Pairs,PANTONE 430U,Use with Plug:14080097
6881J202F70	34060276	20	PCS	40	0.3226	"Optical Transceiver,eSFP,1310nm,STM1,-15~-8dBm,-28dBm,LC,SM,15km"
6881J202F70	34060280	10	PCS	40	0.3226	"Optical Transceiver,eSFP,1310nm,STM4,-3~2dBm,-30dBm,LC,SM,40km"
6881J202F70	34100144	20	PCS	40	0.3226	"Optical Functional Module,1000BASE-T-SFP Module,RJ45 Electrical Module,Auto Negotiate,Longest Transmission Distance 100m,-40~85"
6882K2002B9	02312QJK	2	PCS	12.38	0.1667	Function Module,DC PSU,PDC1000S12-DB-1000W DC Power Module (Back to Front,Power panel side exhaust)
6882K2002B9	02316200	3	PCS	12.38	0.1667	Optical Transceiver,eSFP,GE,Single-mode Module(1310nm,10km,LC)
6882K2002B9	02353AHU-001	1	PCS	12.38	0.1667	Assembling Components,S5731-S24T4X,S5731-S24T4X,S5731-S24T4X(24*10/100/1000BASE-T ports,4*10GE SFP+ ports,without power module)
6882K2002B9	14130199	6	PCS	12.38	0.1667	Patch cord-LC/PC-LC/PC-Single mode-G.652D-2mm-10m-PVC-Yellow
6882K2002BA	02312QJK	2	PCS	12.33	0.1667	Function Module,DC PSU,PDC1000S12-DB-1000W DC Power Module (Back to Front,Power panel side exhaust)
6882K2002BA	02316200	3	PCS	12.33	0.1667	Optical Transceiver,eSFP,GE,Single-mode Module(1310nm,10km,LC)
6882K2002BA	02353AHU-001	1	PCS	12.33	0.1667	Assembling Components,S5731-S24T4X,S5731-S24T4X,S5731-S24T4X(24*10/100/1000BASE-T ports,4*10GE SFP+ ports,without power module)
6882K2002BA	14130199	6	PCS	12.33	0.1667	Patch cord-LC/PC-LC/PC-Single mode-G.652D-2mm-10m-PVC-Yellow
6882K2002BB	02312QJK	2	PCS	12.37	0.1667	Function Module,DC PSU,PDC1000S12-DB-1000W DC Power Module (Back to Front,Power panel side exhaust)
6882K2002BB	02316200	3	PCS	12.37	0.1667	Optical Transceiver,eSFP,GE,Single-mode Module(1310nm,10km,LC)
6882K2002BB	02353AHU-001	1	PCS	12.37	0.1667	Assembling Components,S5731-S24T4X,S5731-S24T4X,S5731-S24T4X(24*10/100/1000BASE-T ports,4*10GE SFP+ ports,without power module)
6882K2002BB	14130199	6	PCS	12.37	0.1667	Patch cord-LC/PC-LC/PC-Single mode-G.652D-2mm-10m-PVC-Yellow
6882K2002BC	02312QJK	2	PCS	12.4	0.1667	Function Module,DC PSU,PDC1000S12-DB-1000W DC Power Module (Back to Front,Power panel side exhaust)
6882K2002BC	02316200	3	PCS	12.4	0.1667	Optical Transceiver,eSFP,GE,Single-mode Module(1310nm,10km,LC)
6882K2002BC	02353AHU-001	1	PCS	12.4	0.1667	Assembling Components,S5731-S24T4X,S5731-S24T4X,S5731-S24T4X(24*10/100/1000BASE-T ports,4*10GE SFP+ ports,without power module)
6882K2002BC	14130199	6	PCS	12.4	0.1667	Patch cord-LC/PC-LC/PC-Single mode-G.652D-2mm-10m-PVC-Yellow
6882K2002BD	02312QJK	2	PCS	12.36	0.1667	Function Module,DC PSU,PDC1000S12-DB-1000W DC Power Module (Back to Front,Power panel side exhaust)
6882K2002BD	02316200	3	PCS	12.36	0.1667	Optical Transceiver,eSFP,GE,Single-mode Module(1310nm,10km,LC)
6882K2002BD	02353AHU-001	1	PCS	12.36	0.1667	Assembling Components,S5731-S24T4X,S5731-S24T4X,S5731-S24T4X(24*10/100/1000BASE-T ports,4*10GE SFP+ ports,without power module)
6882K2002BD	14130199	6	PCS	12.36	0.1667	Patch cord-LC/PC-LC/PC-Single mode-G.652D-2mm-10m-PVC-Yellow
6882K2002BE	02312QJK	2	PCS	12.42	0.1667	Function Module,DC PSU,PDC1000S12-DB-1000W DC Power Module (Back to Front,Power panel side exhaust)
6882K2002BE	02316200	3	PCS	12.42	0.1667	Optical Transceiver,eSFP,GE,Single-mode Module(1310nm,10km,LC)
6882K2002BE	02353AHU-001	1	PCS	12.42	0.1667	Assembling Components,S5731-S24T4X,S5731-S24T4X,S5731-S24T4X(24*10/100/1000BASE-T ports,4*10GE SFP+ ports,without power module)
6882K2002BE	14130199	6	PCS	12.42	0.1667	Patch cord-LC/PC-LC/PC-Single mode-G.652D-2mm-10m-PVC-Yellow
6882K2002BF	02312QJK	2	PCS	12.38	0.1667	Function Module,DC PSU,PDC1000S12-DB-1000W DC Power Module (Back to Front,Power panel side exhaust)
6882K2002BF	02316200	3	PCS	12.38	0.1667	Optical Transceiver,eSFP,GE,Single-mode Module(1310nm,10km,LC)

6882K2002BF	02353AHU-001	1	PCS	12.38	0.1567	Assembling Components,S5731-S24T4X,S5731-S24T4X,S5731-S24T4X(24*10/100/1000BASE-T ports,4*10GE SFP+ ports,without power module)
6882K2002BF	14130199	6	PCS	12.38	0.1567	Patch cord-LC/PC-LC/PC-Single mode-G.652D-2mm-10m-PVC-Yellow
6882K2002C0	02312QJK	2	PCS	12.47	0.1567	Function Module,DC PSU,PDC1000S12-DB-1000W DC Power Module (Back to Front,Power panel side exhaust)
6882K2002C0	02315200	3	PCS	12.47	0.1567	Optical Transceiver,eSFP,GE,Single-mode Module(1310nm,10km,LC)
6882K2002C0	02353AHU-001	1	PCS	12.47	0.1567	Assembling Components,S5731-S24T4X,S5731-S24T4X,S5731-S24T4X(24*10/100/1000BASE-T ports,4*10GE SFP+ ports,without power module)
6882K2002C0	14130199	6	PCS	12.47	0.1567	Patch cord-LC/PC-LC/PC-Single mode-G.652D-2mm-10m-PVC-Yellow
6882K2002C1	02312QJK	2	PCS	12.37	0.1567	Function Module,DC PSU,PDC1000S12-DB-1000W DC Power Module (Back to Front,Power panel side exhaust)
6882K2002C1	02315200	3	PCS	12.37	0.1567	Optical Transceiver,eSFP,GE,Single-mode Module(1310nm,10km,LC)
6882K2002C1	02353AHU-001	1	PCS	12.37	0.1567	Assembling Components,S5731-S24T4X,S5731-S24T4X,S5731-S24T4X(24*10/100/1000BASE-T ports,4*10GE SFP+ ports,without power module)
6882K2002C1	14130199	6	PCS	12.37	0.1567	Patch cord-LC/PC-LC/PC-Single mode-G.652D-2mm-10m-PVC-Yellow
6882K2002C2	02312QJK	2	PCS	12.37	0.1567	Function Module,DC PSU,PDC1000S12-DB-1000W DC Power Module (Back to Front,Power panel side exhaust)
6882K2002C2	02315200	3	PCS	12.37	0.1567	Optical Transceiver,eSFP,GE,Single-mode Module(1310nm,10km,LC)
6882K2002C2	02353AHU-001	1	PCS	12.37	0.1567	Assembling Components,S5731-S24T4X,S5731-S24T4X,S5731-S24T4X(24*10/100/1000BASE-T ports,4*10GE SFP+ ports,without power module)
6882K2002C2	14130199	6	PCS	12.37	0.1567	Patch cord-LC/PC-LC/PC-Single mode-G.652D-2mm-10m-PVC-Yellow
6882K2002C3	02312QJK	2	PCS	12.4	0.1567	Function Module,DC PSU,PDC1000S12-DB-1000W DC Power Module (Back to Front,Power panel side exhaust)
6882K2002C3	02315200	3	PCS	12.4	0.1567	Optical Transceiver,eSFP,GE,Single-mode Module(1310nm,10km,LC)
6882K2002C3	02353AHU-001	1	PCS	12.4	0.1567	Assembling Components,S5731-S24T4X,S5731-S24T4X,S5731-S24T4X(24*10/100/1000BASE-T ports,4*10GE SFP+ ports,without power module)
6882K2002C3	14130199	6	PCS	12.4	0.1567	Patch cord-LC/PC-LC/PC-Single mode-G.652D-2mm-10m-PVC-Yellow
6882K2002E9	02131740	2	PCS	12.19	0.1567	600W AC Power Module(Back to Front, Power panel side exhaust)
6882K2002E9	02315200	1	PCS	12.19	0.1567	Optical Transceiver,eSFP,GE,Single-mode Module(1310nm,10km,LC)
6882K2002E9	02353AHU-001	1	PCS	12.19	0.1567	Assembling Components,S5731-S24T4X,S5731-S24T4X,S5731-S24T4X(24*10/100/1000BASE-T ports,4*10GE SFP+ ports,without power module)
6882K2002E9	04041056	2	PCS	12.19	0.1567	Power cord,Europe AC Power Cable,250V10A,3.0m,PFSM,(H05VVF 1.0^2(3C)),C13SF,250V,10A,BLack
6882K2002E9	14130199	2	PCS	12.19	0.1567	Patch cord-LC/PC-LC/PC-Single mode-G.652D-2mm-10m-PVC-Yellow
6882K2002EA	02131740	2	PCS	12.23	0.1567	600W AC Power Module(Back to Front, Power panel side exhaust)
6882K2002EA	02315200	1	PCS	12.23	0.1567	Optical Transceiver,eSFP,GE,Single-mode Module(1310nm,10km,LC)
6882K2002EA	02353AHU-001	1	PCS	12.23	0.1567	Assembling Components,S5731-S24T4X,S5731-S24T4X,S5731-S24T4X(24*10/100/1000BASE-T ports,4*10GE SFP+ ports,without power module)
6882K2002EA	04041056	2	PCS	12.23	0.1567	Power cord,Europe AC Power Cable,250V10A,3.0m,PFSM,(H05VVF 1.0^2(3C)),C13SF,250V,10A,BLack
6882K2002EA	14130199	2	PCS	12.23	0.1567	Patch cord-LC/PC-LC/PC-Single mode-G.652D-2mm-10m-PVC-Yellow
6888T20016B	02313URC	4	PCS	0.84	0.008	Optical Transceiver,SFP+,10G,Multi-mode Module(850nm,0.3km,LC)
6888T20016B	14131650	8	PCS	0.84	0.008	Patch Cord,LC/PC,LC/PC,Multi-mode,GJFJH-A1a(OM3,bending insensitive),2mm,10m,LSZH
6888T20016C	02352QGG-003	1	PCS	11.46	0.0626	CE6881-48S6CQ-B switch (48*10G SFP+, 6*100G QSFP28, 2*AC power modules, 4*fan modules, port-side intake)
6888T20016C	04041056	2	PCS	11.46	0.0626	Power cord,Europe AC Power Cable,250V10A,3.0m,PFSM,(H05VVF 1.0^2(3C)),C13SF,250V,10A,BLack
6888T20016D	02352QGG-003	1	PCS	11.46	0.0626	CE6881-48S6CQ-B switch (48*10G SFP+, 6*100G QSFP28, 2*AC power modules, 4*fan modules, port-side intake)
6888T20016D	04041056	2	PCS	11.46	0.0626	Power cord,Europe AC Power Cable,250V10A,3.0m,PFSM,(H05VVF 1.0^2(3C)),C13SF,250V,10A,BLack
6888T20016E	02313URC	4	PCS	0.88	0.008	Optical Transceiver,SFP+,10G,Multi-mode Module(850nm,0.3km,LC)
6888T20016E	14131650	8	PCS	0.88	0.008	Patch Cord,LC/PC,LC/PC,Multi-mode,GJFJH-A1a(OM3,bending insensitive),2mm,10m,LSZH
6888T20016F	02352QGG-003	1	PCS	11.46	0.0626	CE6881-48S6CQ-B switch (48*10G SFP+, 6*100G QSFP28, 2*AC power modules, 4*fan modules, port-side intake)
6888T20016F	04041056	2	PCS	11.46	0.0626	Power cord,Europe AC Power Cable,250V10A,3.0m,PFSM,(H05VVF 1.0^2(3C)),C13SF,250V,10A,BLack
6888T200170	02352QGG-003	1	PCS	11.46	0.0626	CE6881-48S6CQ-B switch (48*10G SFP+, 6*100G QSFP28, 2*AC power modules, 4*fan modules, port-side intake)
6888T200170	04041056	2	PCS	11.46	0.0626	Power cord,Europe AC Power Cable,250V10A,3.0m,PFSM,(H05VVF 1.0^2(3C)),C13SF,250V,10A,BLack
6888T200171	02313URL	9	PCS	0.48	0.008	Optical Transceiver,SFP+,10G,Single-mode Module(1310nm,10km,LC)
6888T200172	02313URC	2	PCS	0.64	0.008	Optical Transceiver,SFP+,10G,Multi-mode Module(850nm,0.3km,LC)
6888T200172	14131650	4	PCS	0.64	0.008	Patch Cord,LC/PC,LC/PC,Multi-mode,GJFJH-A1a(OM3,bending insensitive),2mm,10m,LSZH
6888T200173	02352QGG-003	1	PCS	11.44	0.0626	CE6881-48S6CQ-B switch (48*10G SFP+, 6*100G QSFP28, 2*AC power modules, 4*fan modules, port-side intake)
6888T200173	04041056	2	PCS	11.44	0.0626	Power cord,Europe AC Power Cable,250V10A,3.0m,PFSM,(H05VVF 1.0^2(3C)),C13SF,250V,10A,BLack

Total Box: 142 Total KG / CBM: 2474.8170/6481

Signature:

Shipper: B. J.	Driver:	Reciever:
Warehouse : CS1_MIL	Company:	Company:
Date: 24.11.2022	Date:	Date :